Author index

Aalbers, S.E., see Plijter, J.J. (935) 299
Achatz, A., see Wastyn, M. (935) 217
Adam, V., see Kottke, M. (935) 87
Allen, J.F., see Holmes, N.G. (935) 72
Arata, H., see Takamiya, K.-i. (935) 26

Bagyinka, C., see Kovacs, K.L. (935) 166
Baquero, Y., see Sánchez Olavarría, J. (935) 322
Barends, J.-P.F., see Plijter, J.J. (935) 299
Bassi, R., Giacometti, G.M. and Simpson, D.J.
Changes in the organization of stroma membranes induced by in vivo state 1–state 2 transition (935) 152
Berden, J.A., see De Vries, S. (935) 208
Bertsch, J., see Wynn, R.M. (935) 115
Bianco, P., see Nivière, V. (935) 34
Bosch, W., see Kottke, M. (935) 87
Boyer, J.M., see Hirasawa, M. (935) 1
Brdiczka, D., see Kottke, M. (935) 87
Bremm, G., see Kottke, M. (935) 87
Britton, G., see Evans, M.B. (935) 292
Brogley, L., see Renthal, R. (935) 109
Bruce, B.D., see Wynn, R.M. (935) 115
Buchanan, B.B., see Hirasawa, M. (935) 1

Cogdell, R.J., see Evans, M.B. (935) 292
Crofts, A.R., see Venturoli, G. (935) 258

Davis, D.J., see Hirasawa, M. (935) 1
Dennenberg, R., see Jursinic, P. (935) 225
De Vries, S., Van Hoek, A.N. and Berden, J.A.
The oxidation-reduction kinetics of cytochromes *b*, c_1 and *c* in initially fully reduced mitochondrial membranes are in agreement with the Q-cycle hypothesis (935) 208
Doi, M., see Takamiya, K.-i. (935) 26
Droux, M., see Hirasawa, M. (935) 1
Dutton, P.L., see Robertson, D.E. (935) 273

Eaton-Rye, J.J. and Govindjee,
Electron transfer through the quinone acceptor complex of Photosystem II after one or two actinic flashes in bicarbonate-depleted spinach thylakoid membranes (935) 248
Eaton-Rye, J.J. and Govindjee,
Electron transfer through the quinone acceptor complex of photosystem II in bicarbonate-depleted spinach thylakoid membranes as a function of actinic flash number and frequency (935) 237
Evans, M.B., Cogdell, R.J. and Britton, G.
Determination of the bacteriochlorophyll:carotenoid ratios of the B890 antenna complex of *Rhodospirillum rubrum* and the B800–850 complex of *Rhodobacter sphaeroides* (935) 292

Fernández-Velasco, J.G., see Venturoli, G. (935) 258
Friesner, R.A., see Won, Y. (935) 9
Fromme, R., see Renger, G. (935) 173
Fujita, T., see Miyoshi, H. (935) 312
Furushima, R., see Kita, K. (935) 130

Galindo, C., see Sánchez Olavarría, J. (935) 322
Giacometti, G.M., see Bassi, R. (935) 152
Govindjee, , see Eaton-Rye, J.J. (935) 237
Govindjee, , see Eaton-Rye, J.J. (935) 248
Gray, K.A., see Hirasawa, M. (935) 1

Hagemann, R., see Renger, G. (935) 173
Haladjian, J., see Nivière, V. (935) 34
Hatchikian, E.C., see Nivière, V. (935) 34
Hirasawa, M., Droux, M., Gray, K.A., Boyer, J.M., Davis, D.J., Buchanan, B.B. and Knaff, D.B.
Ferredoxin-thioredoxin reductase: properties of its complex with ferredoxin (935) 1
Hodges, M. and Moya, I.
Time-resolved chlorophyll fluorescence studies on pigment-protein complexes from photosynthetic membranes (935) 41
Holmes, N.G. and Allen, J.F.
Protein phosphorylation in chromatophores from *Rhodospirillum rubrum* (935) 72
Houštěk, J., Kopecký, J., Rychter, Z. and Soukup, T.
Uncoupling protein in embryonic brown adipose tissue – existence of nonthermogenic and thermogenic mitochondria (935) 19

Jursinic, P. and Dennenberg, R.
Thylakoid Photosystem II activity supported by the non-quinone acceptor Q_{400} and an ancillary quinone acceptor Aq (935) 225

Katoh, S., see Sonoike, K. (935) 61
Kita, K., Takamiya, S., Furushima, R., Ma, Y.-c., Suzuki, H., Ozawa, T. and Oya, H.
Electron-transfer complexes of *Ascaris suum* muscle mitochondria. III. Composition and fumarate reductase activity of Complex II (935) 130
Knaff, D.B., see Hirasawa, M. (935) 1
Kopecký, J., see Houštěk, J. (935) 19
Kottke, M., Adam, V., Riesinger, I., Bremm, G., Bosch, W., Brdiczka, D., Sandri, G. and Panfili, E.
Mitochondrial boundary membrane contact sites in brain: points of hexokinase and creatine kinase location, and control of Ca^{2+} transport (935) 87
Kovacs, K.L., Bagyinka, C. and Tigyi, G.
Proteolytic resistance and its utilization in purification of hydrogenase from *Thiocapsa roseopersicina* (935) 166

Ma, Y.-c., see Kita, K. (935) 130
Malkin, R., see Wynn, R.M. (935) 115
Malmström, B.G., see Thörnström, P.-E. (935) 103
Mauring, K., see Renge, I. (935) 333
Melandri, B.A., see Venturoli, G. (935) 258
Mills, J.D., see Noctor, G. (935) 53
Miyoshi, H. and Fujita, T.
Quantitative analyses of the uncoupling activity of substituted phenols with mitochondria from flight muscles of house flies (935) 312
Molitor, V., see Wastyn, M. (935) 217
Montero, M., see Sánchez Olavarría, J. (935) 322
Moya, I., see Hodges, M. (935) 41

Nilsson, T., see Thörnström, P.-E. (935) 103
Nivière, V., Hatchikian, E.C., Bianco, P. and Haladjian, J.
Kinetic studies of electron transfer between hydrogenase and cytochrome c_3 from *Desulfovibrio gigas*. Electrochemical properties of cytochrome c_3 (935) 34
Noctor, G. and Mills, J.D.
Thiol modulation of the thylakoid ATPase. Lack of oxidation of the enzyme in the presence of $\Delta\tilde{\mu}_{H^+}$ in vivo and a possible explanation of the physiological requirement for thiol regulation of the enzyme (935) 53
Norling, B., Strid, Å. and Nyrén, P.
Conversion of coupling factor 1 of *Rhodospirillum rubrum* from a Ca^{2+}-ATPase into a Mg^{2+}-ATPase (935) 123
Nyrén, P., see Norling, B. (935) 123

Ohnishi, T., see Pennoyer, J.D. (935) 195
Oya, H., see Kita, K. (935) 130
Ozawa, T., see Kita, K. (935) 130

Panfili, E., see Kottke, M. (935) 87
Paradies, G. and Ruggiero, F.M.
Effect of hyperthyroidism on the transport of pyruvate in rat-heart mitochondria (935) 79
Pennoyer, J.D., Ohnishi, T. and Trumpower, B.L.
Purification and properties of succinate-ubiquinone oxidoreductase complex from *Paracoccus denitrificans* (935) 195
Peschek, G.A., see Wastyn, M. (935) 217
Plijter, J.J., Aalbers, S.E., Barends, J.-P.F., Vos, M.H. and Van Gorkom, H.J.
Oxygen release may limit the rate of photosynthetic electron transport; the use of a weakly polarized oxygen cathode (935) 299

Renge, I., Mauring, K. and Vladkova, R.
Zero-phonon transitions of chlorophyll *a* in mature plant leaves revealed by spectral hole-burning method at 5 K (935) 333
Renger, G., Fromme, R. and Hagemann, R.
The modification of atrazine binding by the redox state of the endogenous high-spin iron and by specific proteolytic enzymes in Photosystem II membrane fragments and intact thylakoids (935) 173
Renthal, R., Brogley, L. and Vila, J.
Altered protein–chromophore interaction in dicyclohexylcarbodiimide-modified purple membrane sheets (935) 109
Riesinger, I., see Kottke, M. (935) 87
Riethman, H.C. and Sherman, L.A.
Purification and characterization of an iron stress-induced chlorophyll-protein from the cyanobacterium *Anacystis nidulans* R2 (935) 141
Robertson, D.E. and Dutton, P.L.
The nature and magnitude of the charge-separation reactions of ubiquinol cytochrome c_2 oxidoreductase (935) 273
Ruggiero, F.M., see Paradies, G. (935) 79
Rychter, Z., see Houštěk, J. (935) 19

Sánchez Olavarría, J., Galindo, C., Montero, M., Baquero, Y., Vitorica, J. and Satrústegui, J.
Measurement of 'in situ' mitochondrial membrane potential in Ehrlich ascites tumor cells during aerobic glycolysis (935) 322
Sandri, G., see Kottke, M. (935) 87
Satrústegui, J., see Sánchez Olavarría, J. (935) 322
Sherman, L.A., see Riethman, H.C. (935) 141
Shioi, Y., see Takamiya, K.-i. (935) 26
Simpson, D.J., see Bassi, R. (935) 152
Sinclair, J. and Spence, S.M.
The analysis of fluorescence induction transients from dichlorophenyldimethylurea-poisoned chloroplasts (935) 184
Sonoike, K. and Katoh, S.
Effects of sodium dodecyl sulfate and methyl viologen on the differential extinction coefficient of P-700 – a band shift of chlorophyll *a* associated with oxidation of P-700 (935) 61
Soukup, T., see Houštěk, J. (935) 19
Spence, S.M., see Sinclair, J. (935) 184
Strid, Å., see Norling, B. (935) 123
Suzuki, H., see Kita, K. (935) 130

Takamiya, K.-i., Arata, H., Shioi, Y. and Doi, M.
Restoration of the optimal redox state for the photosynthetic electron transfer system by auxiliary oxidants in an aerobic photosynthetic bacterium, *Erythrobacter* sp. OCh 114 (935) 26
Takamiya, S., see Kita, K. (935) 130
Thörnström, P.-E., Nilsson, T. and Malmström, B.G.
The possible role of the closed-open transition in proton pumping by cytochrome *c* oxidase: the pH dependence of cyanide inhibition (935) 103
Tigyi, G., see Kovacs, K.L. (935) 166
Trumpower, B.L., see Pennoyer, J.D. (935) 195

Van Gorkom, H.J., see Plijter, J.J. (935) 299
Van Hoek, A.N., see De Vries, S. (935) 208
Venturoli, G., Fernández-Velasco, J.G., Crofts, A.R. and Melandri, B.A.
The effect of the size of the quinone pool on the electrogenic reactions in the ubiquinol-cytochrome c_2 oxidoreductase of *Rhodobacter capsulatus*. Pool behaviour at the quinone reductase site (935) 258

Vila, J., see Renthal, R. (935) 109
Vitorica, J., see Sánchez Olavarría, J. (935) 322
Vladkova, R., see Renge, I. (935) 333
Vos, M.H., see Plijter, J.J. (935) 299

Wastyn, M., Achatz, A., Molitor, V. and Peschek, G.A.
Respiratory activities and aa_3-type cytochrome oxidase in plasma and thylakoid membranes from vegetative cells and heterocysts of the cyanobacterium *Anabaena* ATCC 29413 (935) 217

Won, Y. and Friesner, R.A.
On the viability of the superexchange mechanism in the primary charge separation step of bacterial photosynthesis (935) 9

Wynn, R.M., Bertsch, J., Bruce, B.D. and Malkin, R.
Green algal cytochrome b_6-f complexes: isolation and characterization from *Dunaliella saline, Chlamydomonas reinhardtii* and *Scenedesmus obliquus* (935) 115